



URF100

ULTRA RESPONSE DUCTED CEILING EXHAUST FAN

URF is a low profile, extract fan that can be installed into tight ceiling space. It features a non-return damper to eliminate backdraft and a high-performance centrifugal impeller that produces powerful airflow and low noise. Smartflow Technology ensures optimum airflow. Model to suit 100mm diameter duct size is available.






MODEL NO.	URF100		
CFM	50	80	110
Avg. dB(A) @3m	35	36	36
Input Power (W)	22W		
Voltage (V)	220-240 VAC		
Frequency (Hz)	50		

FEATURES

- ☐ Three airflow selectable 50/80/110 CFM (free air)
- ☐ Removable clip-in grille* makes cleaning easy
- ☐ Convenient installation screw-in fixing
- ☐ Designed for use in ducted systems
- ☐ Non-return damper eliminates backdraft
- ☐ Housing is manufactured from steel painted black
- ☐ Fans are Brushless DC for energy efficiency

^{*} Grille part number SRG100SW-SP (sold separately)




All dimensions in mm *Ceiling cutout size 270mm x 270mm

No	No Part Name	
1	Impeller	
2	Adaptor	
3	Damper	
4	Frame Assembly	

No	No Part Name	
5	Knockout Plate	
6	Junction Box	
7	Base PCB Box	
8	Bracket	

PERFORMANCE DATA



Note: Tested with grilled installed.









Elta Trade is proudly brought to you by Elta Fans Asia.

For the full range of products please visit our website.

www.eltatrade.asia Malaysia +(603) 7846 0340